
Exchange 2013: POP3

Event 1011: status has changed to false



Bitte prüfen, ob der POP-Proxy des Exchange läuft (Exchange Management Shell):

```
Get-ServerComponentstate -Identity Exchange-Server

Server                                  Component
State
------                                  ---------
-----
Exchange-Server.mydomain.local                  ServerWideOffline
Active
Exchange-Server.mydomain.local                  HubTransport
Active
Exchange-Server.mydomain.local                  FrontendTransport
Active
Exchange-Server.mydomain.local                  Monitoring
Active
Exchange-Server.mydomain.local                  RecoveryActionsEnabled
Active
Exchange-Server.mydomain.local                  AutoDiscoverProxy
Active
```

```
Exchange-Server.mydomain.local                ActiveSyncProxy
Active
Exchange-Server.mydomain.local                EcpProxy
Active
Exchange-Server.mydomain.local                EwsProxy
Active
Exchange-Server.mydomain.local                ImapProxy
Active
Exchange-Server.mydomain.local                OabProxy
Active
Exchange-Server.mydomain.local                OwaProxy
Active
Exchange-Server.mydomain.local                PopProxy
Inactive
Exchange-Server.mydomain.local                PushNotificationsProxy
Active
Exchange-Server.mydomain.local                RpsProxy
Active
Exchange-Server.mydomain.local                RwsProxy
Active
Exchange-Server.mydomain.local                RpcProxy
Active
Exchange-Server.mydomain.local                UMCallRouter
Active
Exchange-Server.mydomain.local                XropProxy
Active
Exchange-Server.mydomain.local                HttpProxyAvailabilityGroup
Active
Exchange-Server.mydomain.local                ForwardSyncDaemon
Inactive
Exchange-Server.mydomain.local                ProvisioningRps
Inactive
Exchange-Server.mydomain.local                MapiProxy
Active
Exchange-Server.mydomain.local                EdgeTransport
Active
Exchange-Server.mydomain.local                HighAvailability
Active
Exchange-Server.mydomain.local                SharedCache
Active
```

Läuft der Proxy nicht, kann er mit Hilfe dieses Befehls wieder aktiviert werden:

```
Set-ServerComponentState -Identity Exchange-Server -Component PopProxy -
Requester HealthAPI -State Active
```

From:
https://wikinet.webby.hetzel-netz.de/ - **Sebastians IT-Wiki**

Permanent link:
https://wikinet.webby.hetzel-netz.de/exch:2013_pop3?rev=1565086878

Last update: **2019/08/06 10:21**