


Azure-AD-Connect



Microsoft Azure Active Directory Connect

Welcome
Express Settings

Express Settings

If you have a **single** Windows Server Active Directory forest, we will do the following:

- Configure synchronization of identities in the current AD forest of **l.f.local**
- Configure password hash synchronization from on-premises AD to Azure AD
- Start an initial synchronization
- Synchronize all attributes
- Enable Auto Upgrade

[Learn more about express settings](#)

If you would like different settings, click Customize.

l.f.local is not a routable domain. It is recommended to use custom settings to configure user sign-in options.
[Learn more about non-routable domains and user sign-in settings.](#)

Customize Use express settings

Microsoft Azure Active Directory Connect

Welcome
Express Settings
Required Components
User Sign-In

Install required components

No existing synchronization service was found on this computer. The Azure AD Connect synchronization service will be installed. ?

Optional configuration:

- Specify a custom installation location
- Use an existing SQL Server
- Use an existing service account
- Specify custom sync groups

Previous Install

Microsoft Azure Active Directory Connect

Welcome
Express Settings
Required Components
User Sign-In
Connect to Azure AD
Sync
Connect Directories
Azure AD sign-in
Domain/OU Filtering
Identifying users
Filtering
Optional Features
Configure

User sign-in

Select the Sign On method.

- Password Hash Synchronization ?
- Pass-through authentication ?
- Federation with AD FS ?
- Federation with PingFederate ?
- Do not configure ?

Select this option to enable single sign-on for your corporate desktop users:

- Enable single sign-on ?

Previous Next

Microsoft Azure Active Directory Connect

Welcome
Express Settings
Required Components
User Sign-In
Connect to Azure AD
Sync
Connect Directories
Azure AD sign-in
Domain/OU Filtering
Identifying users
Filtering
Optional Features
Single sign-on
Configure

User sign-in

Select the Sign On method.

- Password Hash Synchronization ?
- Pass-through authentication ?
- Federation with AD FS ?
- Federation with PingFederate ?
- Do not configure ?

Select this option to enable single sign-on for your corporate desktop users:

- Enable single sign-on ?

Previous Next

The screenshot shows the 'Connect your directories' window in Microsoft Azure Active Directory Connect. On the left is a navigation pane with options: Welcome, Express Settings, Required Components, User Sign-In, Connect to Azure AD, Sync, **Connect Directories**, Azure AD sign-in, Domain/OU Filtering, Identifying users, Filtering, Optional Features, Single sign-on, and Configure. The main area is titled 'Connect your directories' and contains the instruction 'Enter connection information for your on-premises directories or forests.' Below this are two dropdown menus: 'DIRECTORY TYPE' set to 'Active Directory' and 'FOREST' set to '.local'. An 'Add Directory' button is to the right of the forest dropdown. Below the dropdowns, it says 'No directories are currently configured.' At the bottom of the window are 'Previous' and 'Next' buttons.

The screenshot shows the 'AD forest account' dialog box. It has a title bar with the Microsoft logo and the text 'AD forest account'. The main content area has the title 'AD forest account' and a paragraph: 'An AD account with sufficient permissions is required for periodic synchronization. Azure AD Connect can create the account for you. Alternatively, you may provide an existing account with the required permissions. [Learn more](#) about managing account permissions.' Below this is another paragraph: 'The first option is recommended and requires you to enter Enterprise Admin credentials.' Underneath is the instruction 'Select account option.' followed by two radio buttons: 'Create new AD account' (which is selected) and 'Use existing AD account'. Below the radio buttons are two text input fields: 'ENTERPRISE ADMIN USERNAME' containing '\Administrator' and 'PASSWORD' containing a series of dots. At the bottom of the dialog are 'OK' and 'Cancel' buttons.

Microsoft Azure Active Directory Connect

- Welcome
- Express Settings
- Required Components
- User Sign-In
- Connect to Azure AD
- Sync
- Connect Directories**
- Azure AD sign-in
- Domain/OU Filtering
- Identifying users
- Filtering
- Optional Features
- Single sign-on
- Configure

Connect your directories

Enter connection information for your on-premises directories or forests. ?

DIRECTORY TYPE
Active Directory

FOREST ?
Add Directory

CONFIGURED DIRECTORIES
■ ■ ■ ■ (Active Directory) ✓ Remove

Previous Next

Microsoft Azure Active Directory Connect

- Welcome
- Express Settings
- Required Components
- User Sign-In
- Connect to Azure AD
- Sync
- Connect Directories
- Azure AD sign-in**
- Domain/OU Filtering
- Identifying users
- Filtering
- Optional Features
- Single sign-on
- Configure

Azure AD sign-in configuration

To sign-in to Azure with the same credentials as your on-premises directory, a matching Azure AD Domain is required. The following table lists the UPN suffixes for your on-premises environment and the status of the associated Azure AD Domain. ?

Active Directory UPN Suffix	Azure AD Domain
■ ■ local	Not Added ?
■ ■ ■ de	Verified

Select the on-premises attribute to use as the Azure AD username

USER PRINCIPAL NAME ?
userPrincipalName

Continue without matching all UPN suffixes to verified domains

Users will not be able to sign-in to Azure AD with on-premises credentials if the UPN suffix does not match a verified domain. [Learn more](#)

Previous Next

Microsoft Azure Active Directory Connect

- Welcome
- Express Settings
- Required Components
- User Sign-In
- Connect to Azure AD
- Sync
 - Connect Directories
 - Azure AD sign-in
 - Domain/OU Filtering**
 - Identifying users
 - Filtering
 - Optional Features
- Single sign-on
- Configure

Domain and OU filtering

Directory: ?

Sync all domains and OUs
 Sync selected domains and OUs

- ▶ local
 - ▶ Builtin
 - ▶ Computers
 - ▶ Domain Controllers
 - ▶ ForeignSecurityPrincipals
 - ▶ Infrastructure
 - ▶ local
 - ▶ Groups
 - ▶ Hardware
 - ▶ Users
 - ▶ LostAndFound
 - ▶ Managed Service Accounts
 - ▶ Program Data
 - ▶ System
 - ▶ Users

Microsoft Azure Active Directory Connect

- Welcome
- Express Settings
- Required Components
- User Sign-In
- Connect to Azure AD
- Sync
 - Connect Directories
 - Azure AD sign-in
 - Domain/OU Filtering
 - Identifying users**
 - Filtering
 - Optional Features
- Single sign-on
- Configure

Uniquely identifying your users

Select how users should be identified in your on-premises directories. ?

Users are represented only once across all directories.
 User identities exist across multiple directories. Match using:

- Mail attribute
- ObjectSID and msExchMasterAccountSID/msRTCSIP-OriginatorSID attributes
- SAMAccountName and MailNickName attributes
- A specific attribute

Select how users should be identified with Azure AD. ?

Let Azure manage the source anchor
 Choose a specific attribute

Azure will write back unique source anchors to your on-premises directory if mS-DS-ConsistencyGuid is currently unused by your organization. [Learn more](#)

Microsoft Azure Active Directory Connect

- Welcome
- Express Settings
- Required Components
- User Sign-In
- Connect to Azure AD
- Sync
 - Connect Directories
 - Azure AD sign-in
 - Domain/OU Filtering
 - Identifying users
 - Filtering**
 - Optional Features
 - Single sign-on
 - Configure

Filter users and devices

For a pilot deployment, specify a group containing your users and devices that will be synchronized. Nested groups are not supported and will be ignored.

Synchronize all users and devices

Synchronize selected ?

FOREST: **local**

GROUP: Resolve

Previous Next

Microsoft Azure Active Directory Connect

- Welcome
- Express Settings
- Required Components
- User Sign-In
- Connect to Azure AD
- Sync
 - Connect Directories
 - Azure AD sign-in
 - Domain/OU Filtering
 - Identifying users
 - Filtering
 - Optional Features**
 - Azure AD Apps
 - Azure AD Attributes
 - Directory Extensions
 - Single sign-on
 - Configure

Optional features

Select enhanced functionality if required by your organization.

- Exchange hybrid deployment ?
- Exchange Mail Public Folders (Preview) ?
- Azure AD app and attribute filtering ?
- Password hash synchronization ?
- Password writeback ?
- Group writeback (Preview) ?
- Device writeback ?
- Directory extension attribute sync ?

[Learn more](#) about optional features.

Previous Next

Microsoft Azure Active Directory Connect

- Welcome
- Express Settings
- Required Components
- User Sign-In
- Connect to Azure AD
- Sync
 - Connect Directories
 - Azure AD sign-in
 - Domain/OU Filtering
 - Identifying users
 - Filtering
 - Optional Features
 - Azure AD Apps**
 - Azure AD Attributes
 - Directory Extensions
 - Single sign-on
 - Configure

Azure AD apps

The information necessary to use the following apps will be exported to Azure AD. Remove an app only if required to meet strict organizational security policy.

AZURE AD APPS

- Office 365 ProPlus
- Exchange Online
- SharePoint Online
- Lync Online
- Azure RMS
- Intune
- Dynamics CRM
- 3rd party application

I want to restrict the list of applications. ?

Previous Next

Microsoft Azure Active Directory Connect

- Welcome
- Express Settings
- Required Components
- User Sign-In
- Connect to Azure AD
- Sync
 - Connect Directories
 - Azure AD sign-in
 - Domain/OU Filtering
 - Identifying users
 - Filtering
 - Optional Features
 - Azure AD Apps
 - Azure AD Attributes**
 - Directory Extensions
 - Single sign-on
 - Configure

Azure AD attributes

These attributes will be exported to Azure AD based on the previously selected application. Remove an individual attribute only if required to meet string organizational security policy.

EXPORTED ATTRIBUTES

- accountEnabled
- accountName
- altRecipient
- assistant
- authOrig
- c
- cloudUserCertificate
- cloudUserSMIMECertificate
- cn
- co
- company
- countryCode

I want to further limit the attributes exported to Azure AD. ?

[View the list of attribute as comma-separated values](#)

Previous Next

Microsoft Azure Active Directory Connect

- Welcome
- Express Settings
- Required Components
- User Sign-In
- Connect to Azure AD
- Sync
 - Connect Directories
 - Azure AD sign-in
 - Domain/OU Filtering
 - Identifying users
 - Filtering
 - Optional Features
 - Azure AD Apps
 - Azure AD Attributes
 - Directory Extensions**
 - Single sign-on
 - Configure

Directory extensions

Synchronize directory extension attributes from on-premises to Azure AD to make them available to cloud-based apps.

Available Attributes

- USNIntersite (group) [Integer]
- USNIntersite (user) [Integer]
- uSNSource (group) [LargeInteger]
- uSNSource (user) [LargeInteger]
- wbemPath (group) [String]
- wbemPath (user) [String]
- whenCreated (group) [DateTime]
- whenCreated (user) [DateTime]
- wwwHomePage (group) [String]
- wwwHomePage (user) [String]
- x121Address (user) [String]
- x500uniqueIdentifier (user) [Binary]

Selected Attributes

Previous Next

Microsoft Azure Active Directory Connect

- Welcome
- Express Settings
- Required Components
- User Sign-In
- Connect to Azure AD
- Sync
 - Connect Directories
 - Azure AD sign-in
 - Domain/OU Filtering
 - Identifying users
 - Filtering
 - Optional Features
 - Azure AD Apps
 - Azure AD Attributes
 - Directory Extensions
 - Single sign-on**
 - Configure

Enable single sign-on

Enter a domain administrator account to configure your on-premises forest for use with single sign-on. ?

local Enter credentials ✓

Previous Next

The screenshot shows the 'Ready to configure' screen in the Microsoft Azure Active Directory Connect application. The left sidebar contains a navigation menu with the following items: Welcome, Express Settings, Required Components, User Sign-In, Connect to Azure AD, Sync, Connect Directories, Azure AD sign-in, Domain/OU Filtering, Identifying users, Filtering, Optional Features, Azure AD Apps, Azure AD Attributes, Directory Extensions, Single sign-on, and Configure (highlighted in blue). The main content area displays the title 'Ready to configure' and the text 'Once you click Install, we will do the following:'. Below this, there are two bullet points: 'Configure synchronization services on this computer' and 'Enable single sign-on'. There are two checkboxes: the first is checked and labeled 'Start the synchronization process when configuration completes.', and the second is unchecked and labeled 'Enable staging mode: When selected, synchronization will not export any data to AD or Azure AD.'. At the bottom right, there are two buttons: 'Previous' (disabled) and 'Install' (active).

The screenshot shows the 'Configuration complete' screen in the Microsoft Azure Active Directory Connect application. The left sidebar is identical to the previous screen, with 'Configure' highlighted. The main content area displays the title 'Configuration complete' and the text 'Azure AD Connect configuration succeeded. The synchronization process has been initiated.'. Below this, there are three informational messages, each with a colored bar on the left and a 'Learn more' link: 1. A green bar: 'The configuration is complete. You can now log in to the Azure or Office 365 portal to verify that user accounts from your local directory have been created. Then, do a test sign-on to the Azure portal. Learn more'. 2. An orange bar: 'The Active Directory Recycle Bin is not enabled for your forest (■■■.local) and is strongly recommended. Learn more'. 3. A blue bar: 'Azure Active Directory is configured to use AD attribute mS-DS-ConsistencyGuid as the source anchor attribute. Learn more'. At the bottom right, there are two buttons: 'Previous' (disabled) and 'Exit' (active).

From:
<https://wikinet.webby.hetzel-netz.de/> - **Sebastians IT-Wiki**

Permanent link:
https://wikinet.webby.hetzel-netz.de/office365:azuread_connect?rev=1557597362

Last update: **2019/05/11 19:56**

