

# Ubuntu 18.04: Nginx

## Installation

### Immer neuste (stabile) Version über PPA

<https://launchpad.net/~nginx>

```
# add-apt-repository ppa:nginx/stable
# apt-get update
# aptitude install nginx
```

### Version aus der Distribution

```
# apt-get update
# aptitude install nginx
```

## Prüfung

```
# service nginx status
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/lib/systemd/system/nginx.service; enabled; vendor
   preset: enabled)
   Active: active (running) since Sat 2019-04-06 14:50:15 CEST; 9min ago
     Docs: man:nginx(8)
   Process: 8408 ExecStop=/sbin/start-stop-daemon --quiet --stop --retry
   QUIT/5 --pidfile /run/nginx.pid (code=exited, status=0/SUCCESS)
   Process: 8826 ExecStart=/usr/sbin/nginx -g daemon on; master_process on;
   (code=exited, status=0/SUCCESS)
   Process: 8820 ExecStartPre=/usr/sbin/nginx -t -q -g daemon on;
   master_process on; (code=exited, status=0/SUCCESS)
   Main PID: 8828 (nginx)
     Tasks: 2 (limit: 2319)
   CGroup: /system.slice/nginx.service
           └─8828 nginx: master process /usr/sbin/nginx -g daemon on;
   master_process on;
             └─8830 nginx: worker process

Apr 06 14:50:15 xxx systemd[1]: Starting A high performance web server and a
   reverse proxy server...
Apr 06 14:50:15 xxx systemd[1]: nginx.service: Failed to parse PID from file
   /run/nginx.pid: Invalid argument
Apr 06 14:50:15 xxx systemd[1]: Started A high performance web server and a
   reverse proxy server.
```

```
# netstat -anptu
Aktive Internetverbindungen (Server und stehende Verbindungen)
Proto Recv-Q Send-Q Local Address           Foreign Address         State
PID/Program name
tcp        0      0 0.0.0.0:80              0.0.0.0:*              LISTEN
8828/nginx: master
tcp6       0      0 :::80                  :::*                   LISTEN
8828/nginx: master
```

## Konfiguration

[nginx.conf](#)

```
[...]
    server_tokens off;
[...]
```

## HTTPS mit Let's Encrypt

### Certbot installieren

Als root ausführen:

```
# apt-get update
# apt-get install software-properties-common
# add-apt-repository universe
# add-apt-repository ppa:certbot/certbot
# apt-get update
# apt-get install python3-certbot-nginx
```

### Cerbot: Zertifikate anfordern und Webserver anpassen

```
certbot --nginx --agree-tos --redirect --hsts --staple-ocsp --email
example@domain.de --domain example-website.de
```

### Cronjob zur Erneuerung der Zertifikate

```
# whereis certbot
certbot: /usr/bin/certbot /usr/share/man/man1/certbot.1.gz
# crontab -e
```

In die Crontab kommt dann beispielsweise folgendes rein:

```
# m h dom mon dow  command
30 4 * * * /usr/bin/certbot renew >> /var/log/le-renew.log
```

Dann lassen wir noch unser Logfile rotieren:

[/etc/logrotate.d/le-renew](#)

```
/var/log/le-renew.log
{
    rotate 12
    weekly
    compress
    missingok
}
```

## PHP

### Installation

PHP im CGI-Modus mit einigen Modulen:

```
# aptitude install php7.2-bz2 php7.2-cli php7.2-common php7.2-curl php7.2-fpm php7.2-gd php7.2-intl php7.2-json php7.2-mbstring php7.2-mysql php7.2-opcache php7.2-readline php7.2-xml php7.2-zip
```

### PHP.ini

Folgende Zeilen dürfen nicht auskommentiert bleiben:

[/etc/php/7.2/fpm/pool.d/www.conf](#)

```
[...]
env[HOSTNAME] = $HOSTNAME
env[PATH] = /usr/local/bin:/usr/bin:/bin
env[TMP] = /tmp
env[TMPDIR] = /tmp
env[TEMP] = /tmp
[...]
```

[/etc/php/7.2/fpm/php.ini](#)

```
[...]
short_open_tag = Off
[...]
```

```
open_basedir = /var/www/:/tmp/:/dev/urandom
[...]  
expose_php = Off  
[...]
```

### [/etc/php/7.2/cli/php.ini](#)

```
[...]  
short_open_tag = Off  
[...]  
open_basedir = /var/www/:/tmp/:/dev/urandom  
[...]  
expose_php = Off  
[...]
```

From:

<https://wikinet.webby.hetzl-netz.de/> - **Sebastians IT-Wiki**

Permanent link:

[https://wikinet.webby.hetzl-netz.de/ubuntu:nginx\\_webserver?rev=1555169247](https://wikinet.webby.hetzl-netz.de/ubuntu:nginx_webserver?rev=1555169247)

Last update: **2019/04/13 17:27**

