

Ubuntu 18.04: Nginx

Installation

Immer neuste (stabile) Version über PPA

<https://launchpad.net/~nginx>

```
# add-apt-repository ppa:nginx/stable
# apt-get update
# aptitude install nginx
```

Version aus der Distribution

```
# apt-get update
# aptitude install nginx
```

Prüfung

```
# service nginx status
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/lib/systemd/system/nginx.service; enabled; vendor
   preset: enabled)
   Active: active (running) since Sat 2019-04-06 14:50:15 CEST; 9min ago
     Docs: man:nginx(8)
   Process: 8408 ExecStop=/sbin/start-stop-daemon --quiet --stop --retry
   QUIT/5 --pidfile /run/nginx.pid (code=exited, status=0/SUCCESS)
   Process: 8826 ExecStart=/usr/sbin/nginx -g daemon on; master_process on;
   (code=exited, status=0/SUCCESS)
   Process: 8820 ExecStartPre=/usr/sbin/nginx -t -q -g daemon on;
   master_process on; (code=exited, status=0/SUCCESS)
   Main PID: 8828 (nginx)
     Tasks: 2 (limit: 2319)
   CGroup: /system.slice/nginx.service
           └─8828 nginx: master process /usr/sbin/nginx -g daemon on;
   master_process on;
             └─8830 nginx: worker process

Apr 06 14:50:15 xxx systemd[1]: Starting A high performance web server and a
   reverse proxy server...
Apr 06 14:50:15 xxx systemd[1]: nginx.service: Failed to parse PID from file
   /run/nginx.pid: Invalid argument
Apr 06 14:50:15 xxx systemd[1]: Started A high performance web server and a
   reverse proxy server.
```

```
# netstat -anptu
Aktive Internetverbindungen (Server und stehende Verbindungen)
Proto Recv-Q Send-Q Local Address           Foreign Address         State
PID/Program name
tcp        0      0 0.0.0.0:80              0.0.0.0:*               LISTEN
8828/nginx: master
tcp6       0      0 :::80                  :::*                    LISTEN
8828/nginx: master
```

Konfiguration

[nginx.conf](#)

```
[...]
    server_tokens off;
[...]
```

HTTPS mit Let's Encrypt

Certbot installieren

Als root ausführen:

```
# apt-get update
# apt-get install software-properties-common
# add-apt-repository universe
# add-apt-repository ppa:certbot/certbot
# apt-get update
# apt-get install python3-certbot-nginx
```

Cerbot: Zertifikate anfordern und Webserver anpassen

```
certbot --nginx --agree-tos --redirect --hsts --staple-ocsp --email
example@domain.de --domain example-website.de
```

Cronjob zur Erneuerung der Zertifikate

```
# whereis certbot
certbot: /usr/bin/certbot /usr/share/man/man1/certbot.1.gz
# crontab -e
```

In die Crontab kommt dann beispielsweise folgendes rein:

```
# m h dom mon dow  command
30 4 * * * /usr/bin/certbot renew >> /var/log/le-renew.log
```

Dann lassen wir noch unser Logfile rotieren:

[/etc/logrotate.d/le-renew](#)

```
/var/log/le-renew.log
{
    rotate 12
    weekly
    compress
    missingok
}
```

PHP

Installation

PHP im CGI-Modus mit einigen Modulen:

```
# aptitude install php7.2-bz2 php7.2-cli php7.2-common php7.2-curl php7.2-fpm php7.2-gd php7.2-intl php7.2-json php7.2-mbstring php7.2-mysql php7.2-opcache php7.2-readline php7.2-xml php7.2-zip
```

Läuft?

```
# service php7.2-fpm status
● php7.2-fpm.service - The PHP 7.2 FastCGI Process Manager
   Loaded: loaded (/lib/systemd/system/php7.2-fpm.service; enabled; vendor preset: enabled)
   Active: active (running) since Sat 2019-04-13 17:24:28 CEST; 3min 27s ago
     Docs: man:php-fpm7.2(8)
  Main PID: 943 (php-fpm7.2)
   Status: "Processes active: 0, idle: 2, Requests: 0, slow: 0, Traffic: 0req/sec"
    Tasks: 3 (limit: 2319)
   CGroup: /system.slice/php7.2-fpm.service
           └─943 php-fpm: master process (/etc/php/7.2/fpm/php-fpm.conf)
             └─964 php-fpm: pool www
               └─965 php-fpm: pool www

Apr 13 17:24:28 xxx systemd[1]: Starting The PHP 7.2 FastCGI Process Manager...
Apr 13 17:24:28 xxx systemd[1]: Started The PHP 7.2 FastCGI Process Manager.
```

PHP.ini

Folgende Zeilen dürfen nicht auskommentiert bleiben:

[/etc/php/7.2/fpm/pool.d/www.conf](#)

```
[...]
env[HOSTNAME] = $HOSTNAME
env[PATH] = /usr/local/bin:/usr/bin:/bin
env[TMP] = /tmp
env[TMPDIR] = /tmp
env[TEMP] = /tmp
[...]
```

[/etc/php/7.2/fpm/php.ini](#)

```
[...]
short_open_tag = Off
[...]
```

```
open_basedir = /var/www/:/tmp/:/dev/urandom
[...]
```

```
expose_php = Off
[...]
```

[/etc/php/7.2/cli/php.ini](#)

```
[...]
short_open_tag = Off
[...]
```

```
open_basedir = /var/www/:/tmp/:/dev/urandom
[...]
```

```
expose_php = Off
[...]
```

From:

<https://wikinet.webby.hetzl-netz.de/> - **Sebastians IT-Wiki**

Permanent link:

https://wikinet.webby.hetzl-netz.de/ubuntu:nginx_webserver?rev=1555169494

Last update: **2019/04/13 17:31**

